

---

# Mission Statement

State Steel strives to provide quality products and services at competitive prices. This commitment is demonstrated with several branch locations all offering large, diverse inventories and state-of-the-art equipment which make our products and services readily available throughout our sales area. We are sensitive to customer needs and determined to find ways to meet or exceed their requirements.

Through hard work, good customer relations, and sound management we are committed to the future growth of State Steel, to our customers, and to our dedicated employees, the backbone of our success.

---

## Sioux City, IA

800-831-0862

712-277-4000

Fax: 712-277-3306

## Grand Island, NE

800-658-4352

308-381-2040

Fax: 308-381-1613

## Sioux Falls, SD

800-658-5522

605-338-9303

Fax: 605-338-6869

## Des Moines, IA

800-783-3590

515-264-0000

Fax: 515-264-9345

## Spencer, IA

800-747-9559

712-262-5609

Fax: 712-264-9268

## Omaha, NE

800-898-4523

402-894-1900

Fax: 402-894-1910



# State Steel Supply Company

*a full service supply center offering a wide range of services including:*















- **In-Line Temper Mill** (Cold Reduction Process)  
Cut to Length Coil Processing  
Up to 1/2" thick (100,000 yield) x 96" Wide  
with Improved Surface and Superior Flatness
- **Laser Cutting**  
3/4" thick - 80" x 216" production output
- **Shearing**
- **Forming**
- **Flame and Plasma Cutting**
- **CNC Saw Cutting**
- **Die Stamping** (Up to 200 ton Capacity)
- **Just in Time Delivery**

We also offer a full-line inventory (carbon, galvanized, stainless, aluminum) including pipe, tubing, DOM, threaded rod, expanded metal, bar grating, and grip strut.


























**[www.statesteel.com](http://www.statesteel.com)**

ISO 9002 CERTIFIED












# Index

<p><b>Aluminum</b></p> <ul style="list-style-type: none"> <li> Angle ..... 72</li> <li> Beams ..... 72</li> <li> Channel ..... 72</li> <li> Color / Painted ..... 77</li> <li> Expanded Metal ..... 73</li> <li> Flats ..... 74</li> <li> Pipe ..... 75</li> <li> Plates ..... 76-77</li> <li> Rounds ..... 73</li> <li> Sheets ..... 76</li> <li> Square &amp; Rectangle Tube ..... 73</li> <li> Square ..... 73</li> <li> Treadbrite (Floor Plate) ..... 77</li> </ul>	<p> <b>Channel</b></p> <ul style="list-style-type: none"> <li>Bar ..... 3</li> <li>Galvanized ..... 4</li> <li>Junior ..... 4</li> <li>Structural ..... 3-4</li> </ul> <hr/> <p> <b>Coil</b></p> <ul style="list-style-type: none"> <li>Cold Rolled ..... 36</li> <li>Floor Plate ..... 36</li> <li>Galvanized ..... 36</li> <li>Galvannealed ..... 36</li> <li>High Strength ..... 37</li> <li>Hot Rolled ..... 35</li> <li>Hot Rolled Pickled &amp; Oiled ..... 35</li> </ul> <hr/> <p> <b>Expanded Metal</b></p> <ul style="list-style-type: none"> <li>Flattened ..... 61</li> <li>Standard ..... 62</li> </ul> <hr/> <p> <b>Flats</b></p> <ul style="list-style-type: none"> <li>Cold Drawn ..... 19-20</li> <li>Galvanized ..... 11</li> <li>Hot Rolled ..... 9-11</li> </ul> <hr/> <p> <b>Floor Plates</b></p> <ul style="list-style-type: none"> <li>Aluminum ..... 77</li> <li>Carbon Steel ..... 31</li> </ul>
<p> <b>Angles</b></p> <ul style="list-style-type: none"> <li>Structural ..... 5-6</li> <li>Galvanized ..... 7</li> </ul>	
<p><b>Beams</b></p> <ul style="list-style-type: none"> <li> I Beams ..... 1</li> <li> Wide Flange Beams ..... 1-2</li> </ul>	
<p> <b>Beef Rail (Round Edge)</b></p> <ul style="list-style-type: none"> <li>Carbon 1045 ..... 12</li> <li>Galvanized ..... 12</li> </ul>	

# Index

<p> <b>Grader Blades</b> ..... 12</p> <p> <b>Grating</b></p> <p style="padding-left: 20px;">Bar ..... 64</p> <p style="padding-left: 20px;">Cat Walk ..... 64</p> <p style="text-align: center;"><b>Grip Strut</b> ..... 65</p> <p> <b>Hexagons</b></p> <p style="padding-left: 20px;">Cold Rolled ..... 18</p> <p style="padding-left: 20px;">Stress Relieved ..... 18</p> <p> <b>Pipe</b> ..... 39</p> <p> <b>Plates</b></p> <p style="padding-left: 20px;">Abrasion Resisting ..... 31</p> <p style="padding-left: 20px;">Aluminum ..... 76</p> <p style="padding-left: 20px;">High Strength ..... 32-33</p> <p style="padding-left: 20px;">Hot Rolled ..... 28-30</p> <p style="padding-left: 20px;">Pickled &amp; Oiled ..... 24</p> <p style="padding-left: 20px;">Stainless Annealed &amp; Pickled ..... 71</p> <p> <b>PTO Tube/Shaft</b> ..... 44</p> <p> <b>Rebar</b> ..... 14</p> <p> <b>Redi Rod</b></p> <p style="padding-left: 20px;">Carbon Steel Rod Oil Finish ..... 15</p> <p style="padding-left: 20px;">Electro Zinc Plated ..... 15</p> <p style="padding-left: 20px;">Stainless ..... 15</p>	<p> <b>Rounds</b></p> <p style="padding-left: 20px;">Cold Rolled ..... 16-17</p> <p style="padding-left: 20px;">Galvanized ..... 13</p> <p style="padding-left: 20px;">Hot Rolled ..... 13</p> <p style="padding-left: 20px;">Stainless ..... 66</p> <p style="padding-left: 20px;">Turned Ground and Polished ..... 17</p> <p style="text-align: center;"><b>Stainless</b></p> <p> Angle ..... 66</p> <p> Annealed &amp; Pickled Plates ..... 71</p> <p> Annealed &amp; Pickled Sheets ..... 70</p> <p> Channel ..... 66</p> <p> Expanded Metal ..... 69</p> <p> Flats ..... 67</p> <p> Pipe ..... 68</p> <p> Plates ..... 71</p> <p> Polished Sheets ..... 70</p> <p> Rectangle Tubing ..... 69</p> <p> Redi Rod ..... 15</p> <p> Round ..... 66</p> <p> Sheets ..... 70</p> <p> Square Tubing ..... 69</p> <p> Squares ..... 66</p> <p> Strips ..... 67</p>
--	--

# Index

 <b>Sheets</b> Cold Rolled ..... 25 Galvanized ..... 26 Galvannealed ..... 27 High Strength ..... 32-33 Hot Rolled ..... 23-24 Paint Grip ..... 27 Pickled & Oiled ..... 24 Stainless ..... 70	 <b>Strips</b> Galvanized ..... 8 Hot Rolled ..... 8
 <b>Squares</b> Cold Rolled ..... 18 Hot Rolled ..... 13	 <b>T Iron</b> ..... 7
<b>Stress Relieved</b>  Cold Rolled Rounds ..... 17  Hexagons ..... 18  Turned Ground & Polished ..... 17	 <b>Tube</b> Pipe Size ..... 43 Power Take Off ..... 44  Rectangle ..... 41-42 Round Mechanical Electric Weld ..... 43 Round Mechanical ..... 46-60 Round ..... 45  Square ..... 40-41
	 <b>Wire Mesh</b> Rolls ..... 14 Sheets ..... 14
	<b>Wire (Blk Annealed)</b> ..... 14

AISI Carbon Steel Tolerance Ranges ..... 22
Carbon Pipe Schedules ..... 38
Decimal Conversion Table ..... 78
Fabrication ..... 81-85
Glossary of Terms ..... 79-80

# Redi Rod

National Course



## Threaded Carbon Steel Rod (Oil Finish)

Size	Length	WT / FT	WT / Length
1/4" blk	6'	0.118	0.708
1/4" blk	10'	0.118	1.180
1/4" blk	12'	0.118	1.416
5/16" blk	6'	0.197	1.182
5/16" blk	10'	0.197	1.970
3/8" blk	6'	0.284	1.704
3/8" blk	10'	0.284	2.840
7/16" blk	6'	0.390	2.340
1/2" blk	6'	0.515	3.090
1/2" blk	10'	0.515	5.150
9/16" blk	6'	0.660	3.960
5/8" blk	6'	0.825	4.950
5/8" blk	10'	0.825	8.250
3/4" blk	6'	1.215	7.290
3/4" blk	10'	1.215	12.15
7/8" blk	6'	1.675	10.05
7/8" blk	10'	1.675	16.75
1" blk	6'	2.190	13.14
1" blk	10'	2.190	21.90
1-1/2" blk	12'	5.050	60.60




## Electro Zinc Plated

Size	Length	WT / FT	WT / Length
1/4" galv	6'	0.118	0.708
1/4" galv	12'	0.118	1.416
5/16" galv	6'	0.197	1.182
3/8" galv	6'	0.284	1.704
3/8" galv	12'	0.284	3.408
7/16" galv	3'	0.390	1.170
7/16" galv	6'	0.390	2.340
1/2" galv	6'	0.515	3.090
1/2" galv	12'	0.515	6.180
5/8" galv	6'	0.825	4.950
5/8" galv	12'	0.825	9.900
3/4" galv	6'	1.215	7.290
7/8" galv	6'	1.675	10.05
1" galv	6'	2.190	13.14



## Type 304 Stainless Steel Threaded Rod

Size	Length	WT / FT	WT / Length
1/4" SS	12'	0.123	1.476
5/16" SS	12'	0.201	2.412
3/8" SS	12'	0.296	3.552
7/16" SS	6'	0.406	2.436
7/16" SS	12'	0.406	4.872
1/2" SS	6'	0.539	3.234
1/2" SS	12'	0.539	6.468
5/8" SS	6'	0.852	5.112
5/8" SS	12'	0.852	10.22
3/4" SS	6'	1.249	7.49
3/4" SS	12'	1.249	14.99
7/8" SS	12'	1.724	20.69
1" SS	12'	2.256	27.07



Please inquire if requirements include items not listed.

# Stainless



## Stainless Channel

Type 304 Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3 x 1-1/2 x 1/4	20' rl	4.750	95.00
4 x 1-3/4 x 1/4	20' rl	6.690	133.80



## Stainless Squares

Type 304 Annealed Cold Drawn

Size	Length	WT / FT	WT / Bar
1/4"	12' rl	0.213	2.56
5/16"	12' rl	0.332	3.98
3/8"	12' rl	0.478	5.74
7/16"	12' rl	0.651	7.81
1/2"	12' rl	0.850	10.20
3/4"	12' rl	1.913	22.96
1"	12' rl	3.400	40.80
1-1/4"	12' rl	5.313	63.76
1-1/2"	12' rl	7.650	91.80



## Stainless Angles

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3/4 x 3/4 x 1/8	20' rl	0.590	11.80
1 x 1 x 1/8	20' rl	0.800	16.00
1 x 1 x 3/16	20' rl	1.160	23.20
1 x 1 x 1/4	20' rl	1.490	29.80
1-1/4 x 1-1/4 x 1/8	20' rl	1.010	20.20
1-1/4 x 1-1/4 x 3/16	20' rl	1.480	29.60
1-1/4 x 1-1/4 x 1/4	20' rl	1.920	38.40
1-1/2 x 1-1/2 x 1/8	20' rl	1.230	24.60
1-1/2 x 1-1/2 x 3/16	20' rl	1.800	36.00
1-1/2 x 1-1/2 x 1/4	20' rl	2.340	46.80
2 x 2 x 1/8	20' rl	1.650	33.00
2 x 2 x 3/16	20' rl	2.440	48.80
2 x 2 x 1/4	20' rl	3.190	63.80
2 x 2 x 3/8	20' rl	4.700	94.00
2-1/2 x 2-1/2 x 3/16	20' rl	3.070	61.40
2-1/2 x 2-1/2 x 1/4	20' rl	4.100	82.00



## Stainless Angles

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3 x 3 x 1/4	20' rl	4.900	98.00
3 x 3 x 3/8	20' rl	7.200	144.00
4 x 4 x 1/4	20' rl	6.600	132.00



## Stainless Round

Type 304 Annealed

Size	Length	WT / FT	WT / Bar
1/8"	12' rl	0.042	0.50
3/16"	12' rl	0.094	1.13
1/4"	12' rl	0.167	2.00
5/16"	12' rl	0.261	3.13
3/8"	12' rl	0.376	4.51
7/16"	12' rl	0.511	6.13
1/2"	12' rl	0.668	8.02
5/8"	12' rl	1.043	12.52
3/4"	12' rl	1.502	18.02
7/8"	12' rl	2.045	24.54
1"	12' rl	2.670	32.04
1-1/8"	12' rl	3.380	40.56
1-3/16"	12' rl	3.766	45.19
1-1/4"	12' rl	4.172	50.06
1-3/8"	12' rl	5.050	60.60
1-7/16"	12' rl	5.518	66.22
1-1/2"	12' rl	6.008	72.10
1-5/8"	12' rl	7.052	84.62
1-3/4"	12' rl	8.178	98.14
1-15/16"	12' rl	10.020	120.24
2"	12' rl	10.680	128.16
2-3/16"	12' rl	12.780	153.36
2-1/4"	12' rl	13.520	162.24
2-7/16"	12' rl	15.870	190.44
2-1/2"	12' rl	16.690	200.28
3"	12' rl	24.030	288.36



# Stainless



## Stainless Strips

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
1/8 x 1/2	12'	0.213	2.56
1/8 x 3/4	12'	0.319	3.83
1/8 x 1	10'	0.425	4.25
1/8 x 1-1/4	10'	0.531	5.31
1/8 x 1-1/2	10'	0.638	6.38
1/8 x 2	10'	0.850	8.50
1/8 x 2-1/2	10'	1.063	10.63
1/8 x 3	10'	1.275	12.75
1/8 x 4	10'	1.700	17.00
1/8 x 5	10'	2.125	21.25
1/8 x 6	10'	2.550	25.50
3/16 x 1/2	12'	0.319	3.83
3/16 x 3/4	12'	0.536	6.43
3/16 x 1	10'	0.715	7.15
3/16 x 1-1/4	10'	0.893	8.93
3/16 x 1-1/2	10'	1.072	10.72
3/16 x 1-3/4	10'	1.251	12.51
3/16 x 2	10'	1.430	14.30
3/16 x 3	10'	2.140	21.40
3/16 x 3-1/2	10'	2.502	25.02
3/16 x 4	10'	2.860	28.60
3/16 x 6	10'	4.290	42.90



## Stainless Flats

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3/8 x 3/4	12'	0.956	11.47
3/8 x 1	12'	1.380	16.56
3/8 x 1-1/4	12'	1.594	19.13
3/8 x 1-1/2	12'	2.060	24.72
3/8 x 2	12'	2.750	33.00
3/8 x 2-1/2	12'	3.438	41.26
3/8 x 3	12'	4.125	49.50
3/8 x 4	12'	5.500	66.00
3/8 x 5	12'	6.875	82.50
3/8 x 6	12'	8.250	99.00
1/2 x 3/4	12'	1.275	15.30
1/2 x 1	12'	1.800	21.60
1/2 x 1-1/2	12'	2.708	32.50
1/2 x 2	12'	3.610	43.32
1/2 x 2-1/2	12'	4.512	54.14
1/2 x 3	12'	5.420	65.04
1/2 x 4	12'	7.225	86.70
1/2 x 6	12'	10.830	129.96
3/4 x 2	12'	5.100	61.20
1-1/4 x 3	12'	12.760	153.12



## Stainless Flats

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
1/4 x 3/4	12'	0.638	7.66
1/4 x 1	10'	0.930	9.30
1/4 x 1-1/4	10'	1.163	11.63
1/4 x 1-1/2	10'	1.395	13.95
1/4 x 2	10'	1.860	18.60
1/4 x 2-1/2	10'	2.325	23.25
1/4 x 3	10'	2.791	27.91
1/4 x 4	10'	3.721	37.21
1/4 x 5	10'	4.651	46.51
1/4 x 6	10'	5.581	55.81

# Stainless Pipe

Type 304 Cold Finished / Annealed and Pickled



## Sch. 40

Size	Length	O.D.	I.D.	Wall	WT / FT	WT / Bar
		In Inches	In Inches	Thickness		
1/8"	20' rl	0.405	0.269	0.068	0.240	4.80
1/4"	20' rl	0.540	0.364	0.088	0.420	8.40
3/8"	20' rl	0.675	0.493	0.091	0.568	11.36
1/2"	20' rl	0.840	0.622	0.109	0.850	17.00
3/4"	20' rl	1.050	0.824	0.113	1.130	22.60
1"	20' rl	1.315	1.049	0.133	1.680	33.60
1-1/4"	20' rl	1.660	1.380	0.140	2.270	45.40
1-1/2"	20' rl	1.900	1.610	0.145	2.720	54.40
2"	20' rl	2.375	2.067	0.154	3.650	73.00
2-1/2"	20' rl	2.875	2.469	0.203	5.800	116.00
3"	20' rl	3.500	3.068	0.216	7.580	151.60
4"	20' rl	4.500	4.026	0.237	10.790	215.80

## Stainless



## Stainless Square Tube

Mill Finish

Size	Length	WT / FT	WT / Bar
3/4 x 3/4 x 16 ga.	20' rl	0.606	12.12
1 x 1 x 16 ga.	20' rl	0.827	16.54
1 x 1 x 14 ga.	20' rl	1.035	20.70
1 x 1 x 11 ga.	20' rl	1.436	28.72
1-1/4 x 1-1/4 x 16 ga.	20' rl	1.048	20.96
1-1/4 x 1-1/4 x 14 ga.	20' rl	1.317	26.34
1-1/4 x 1-1/4 x 11 ga.	20' rl	1.844	36.88
1-1/2 x 1-1/2 x 16 ga.	20' rl	1.269	25.38
1-1/2 x 1-1/2 x 14 ga.	20' rl	1.600	32.00
1-1/2 x 1-1/2 x 11 ga.	20' rl	2.255	45.10
1-1/2 x 1-1/2 x 3/16	20' rl	3.630	72.60
2 x 2 x 16 ga.	20' rl	1.710	34.20
2 x 2 x 11 ga.	20' rl	3.068	61.36
2 x 2 x 3/16	20' rl	4.460	89.20
2 x 2 x 1/4	20' rl	6.010	120.20
3 x 3 x 11 ga.	20' rl	4.700	94.00
3 x 3 x 3/16	20' rl	6.900	138.00
3 x 3 x 1/4	20' rl	10.000	200.00
4 x 4 x 11 ga.	20' rl	6.260	125.20
4 x 4 x 3/16	20' rl	9.270	185.40
4 x 4 x 1/4	20' rl	12.680	253.60



## Stainless Rectangular Tube

Mill Finish

Size	Length	WT / FT	WT / Bar
1 x 2 x 11 ga.	20' rl	2.252	45.04
2 x 3 x 11 ga.	20' rl	3.884	77.68
2 x 3 x 3/16	20' rl	5.679	113.58
2 x 4 x 11 ga.	20' rl	4.700	94.00
2 x 4 x 3/16	20' rl	6.900	138.00
2 x 4 x 1/4	20' rl	10.000	200.00



## Square Tube

Polished Finish

Size	Length	WT / FT	WT / Bar
1 x 1 x 11 ga.	20' rl	1.436	28.72
1-1/2 x 1-1/2 x 11 ga.	20' rl	2.255	45.10



## Stainless Expanded Metal

Type 304 - Flattened

Style	Size	WT / FT	WT / Bar
1/2 #13 FL SS	48 x 96	1.780	56.96
3/4 #13 FL SS	48 x 96	0.860	27.52
3/4 #9 FL SS	48 x 96	1.950	62.40
1-1/2 #13 FL SS	48 x 96	0.650	20.80
1-1/2 #9 FL SS	48 x 96	1.310	41.92


## Stainless Sheets Type 304



### Stainless Sheets

No. 2B Finish

Gauge	Size	WT / FT	WT / Sheet
26 ga.	48 x 120	0.756	30.24
24 ga.	36 x 96	1.008	24.19
24 ga.	48 x 96	1.008	32.26
24 ga.	48 x 120	1.008	40.32
22 ga.	36 x 96	1.260	30.24
22 ga.	48 x 96	1.260	40.32
22 ga.	48 x 120	1.260	50.40
20 ga.	48 x 96	1.512	48.38
20 ga.	48 x 120	1.512	60.48
18 ga.	36 x 96	2.016	48.38
18 ga.	48 x 96	2.016	64.51
18 ga.	48 x 120	2.016	80.64
18 ga.	60 x 120	2.016	100.80
16 ga.	48 x 96	2.520	80.64
16 ga.	48 x 120	2.520	100.80
16 ga.	60 x 120	2.520	126.00
14 ga.	36 x 96	3.150	75.60
14 ga.	36 x 120	3.150	94.50
14 ga.	48 x 96	3.150	100.80
14 ga.	48 x 120	3.150	126.00
14 ga.	60 x 96	3.150	126.00
14 ga.	60 x 120	3.150	157.50
12 ga.	36 x 120	4.410	132.30
12 ga.	48 x 96	4.410	141.12
12 ga.	48 x 120	4.410	176.40
12 ga.	60 x 120	4.410	220.50
12 ga.	60 x 144	4.410	264.60
11 ga.	48 x 120	5.040	201.60



### Stainless Sheets

No. 2B Finish

Gauge	Size	WT / FT	WT / Sheet
10 ga.	48 x 96	5.670	181.44
10 ga.	48 x 120	5.670	226.80
10 ga.	48 x 144	5.670	272.16
10 ga.	60 x 96	5.670	226.80
10 ga.	60 x 120	5.670	283.50
7 ga.	48 x 96	7.854	251.33
7 ga.	48 x 120	7.854	314.16
7 ga.	60 x 120	7.854	392.70



### Stainless Sheets

#4 Polish Sheets

Gauge	Size	WT / FT	WT / Sheet
24 ga.	48 x 120	1.008	40.32
22 ga.	48 x 120	1.260	50.40
20 ga.	48 x 120	1.512	60.48
18 ga.	48 x 120	2.016	80.64
16 ga.	48 x 120	2.520	100.80
14 ga.	36 x 120	3.150	94.50
14 ga.	48 x 120	3.150	126.00
12 ga.	48 x 120	4.410	176.40
12 ga.	60 x 120	4.410	220.50



### Stainless Sheets

#1 Mill Finish

Gauge	Size	WT / FT	WT / Sheet
11 ga.	48 x 120	5.040	201.60

#### Standard Stainless Finishes

- #1 – Hot rolled, annealed and pickled
- #2B – Annealed, pickled and bright cold rolled
- #4 – Standard polish – PVC coated


**Type 304** – Good formability, weldability and corrosion resistance. Widely used in food processing as well as in chemical corrosive environments.



## Stainless Plates

Hot Rolled, Annealed & Pickled  
Type 304 #1 Mill Finish

Thickness	Size	WT / FT	WT / Sheet
3/16" PL	48 x 96	8.579	274.53
3/16" PL	48 x 120	8.579	343.16
3/16" PL	48 x 144	8.579	411.79
3/16" PL	60 x 96	8.579	343.16
3/16" PL	60 x 120	8.579	428.95
3/16" PL	60 x 144	8.579	514.74
1/4" PL	48 x 96	11.162	357.18
1/4" PL	48 x 120	11.162	446.48
1/4" PL	48 x 144	11.162	535.78
1/4" PL	60 x 96	11.162	446.48
1/4" PL	60 x 120	11.162	558.10
1/4" PL	60 x 144	11.162	669.72
3/8" PL	48 x 96	16.500	528.00
3/8" PL	48 x 120	16.500	660.00
3/8" PL	48 x 144	16.500	792.00
3/8" PL	60 x 144	16.500	990.00
1/2" PL	48 x 120	21.660	866.40
1/2" PL	60 x 144	21.660	1299.60
1/2" PL	61-3/4 x 144	21.660	1337.51



Please inquire if requirements include items not listed.