
Mission Statement

State Steel strives to provide quality products and services at competitive prices. This commitment is demonstrated with several branch locations all offering large, diverse inventories and state-of-the-art equipment which make our products and services readily available throughout our sales area. We are sensitive to customer needs and determined to find ways to meet or exceed their requirements.

Through hard work, good customer relations, and sound management we are committed to the future growth of State Steel, to our customers, and to our dedicated employees, the backbone of our success.

Sioux City, IA

800-831-0862

712-277-4000

Fax: 712-277-3306

Grand Island, NE

800-658-4352

308-381-2040

Fax: 308-381-1613

Sioux Falls, SD

800-658-5522

605-338-9303

Fax: 605-338-6869

Des Moines, IA

800-783-3590

515-264-0000

Fax: 515-264-9345

Spencer, IA

800-747-9559

712-262-5609

Fax: 712-264-9268

Omaha, NE

800-898-4523

402-894-1900

Fax: 402-894-1910



State Steel Supply Company

a full service supply center offering a wide range of services including:


- **In-Line Temper Mill** (Cold Reduction Process)
Cut to Length Coil Processing
Up to 1/2" thick (100,000 yield) x 96" Wide
with Improved Surface and Superior Flatness
- **Laser Cutting**
3/4" thick - 80" x 216" production output
- **Shearing**
- **Forming**
- **Flame and Plasma Cutting**
- **CNC Saw Cutting**
- **Die Stamping** (Up to 200 ton Capacity)
- **Just in Time Delivery**

We also offer a full-line inventory (carbon, galvanized, stainless, aluminum) including pipe, tubing, DOM, threaded rod, expanded metal, bar grating, and grip strut.












































































www.statesteel.com

ISO 9002 CERTIFIED












Index

<p>Aluminum</p> <ul style="list-style-type: none">  Angle 72  Beams 72  Channel 72  Color / Painted 77  Expanded Metal 73  Flats 74  Pipe 75  Plates 76-77  Rounds 73  Sheets 76  Square & Rectangle Tube 73  Square 73  Treadbrite (Floor Plate) 77 	<p> Channel</p> <ul style="list-style-type: none"> Bar 3 Galvanized 4 Junior 4 Structural 3-4 <hr/> <p> Coil</p> <ul style="list-style-type: none"> Cold Rolled 36 Floor Plate 36 Galvanized 36 Galvannealed 36 High Strength 37 Hot Rolled 35 Hot Rolled Pickled & Oiled 35 <hr/> <p> Expanded Metal</p> <ul style="list-style-type: none"> Flattened 61 Standard 62 <hr/> <p> Flats</p> <ul style="list-style-type: none"> Cold Drawn 19-20 Galvanized 11 Hot Rolled 9-11 <hr/> <p> Floor Plates</p> <ul style="list-style-type: none"> Aluminum 77 Carbon Steel 31
<p> Angles</p> <ul style="list-style-type: none"> Structural 5-6 Galvanized 7 	
<p>Beams</p> <ul style="list-style-type: none">  I Beams 1  Wide Flange Beams 1-2 	
<p> Beef Rail (Round Edge)</p> <ul style="list-style-type: none"> Carbon 1045 12 Galvanized 12 	


Index

<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;"></td> <td style="width: 80%;">Grader Blades</td> <td style="width: 10%; text-align: right;">12</td> </tr> <tr> <td style="text-align: center;"></td> <td>Grating</td> <td></td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Bar</td> <td style="text-align: right;">64</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Cat Walk</td> <td style="text-align: right;">64</td> </tr> <tr> <td></td> <td style="text-align: center;">Grip Strut</td> <td style="text-align: right;">65</td> </tr> <tr> <td style="text-align: center;"></td> <td>Hexagons</td> <td></td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Cold Rolled</td> <td style="text-align: right;">18</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Stress Relieved</td> <td style="text-align: right;">18</td> </tr> <tr> <td style="text-align: center;"></td> <td>Pipe</td> <td style="text-align: right;">39</td> </tr> <tr> <td style="text-align: center;"></td> <td>Plates</td> <td></td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Abrasion Resisting</td> <td style="text-align: right;">31</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Aluminum</td> <td style="text-align: right;">76</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">High Strength</td> <td style="text-align: right;">32-33</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Hot Rolled</td> <td style="text-align: right;">28-30</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Pickled & Oiled</td> <td style="text-align: right;">24</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Stainless Annealed & Pickled</td> <td style="text-align: right;">71</td> </tr> <tr> <td style="text-align: center;"></td> <td>PTO Tube/Shaft</td> <td style="text-align: right;">44</td> </tr> <tr> <td style="text-align: center;"></td> <td>Rebar</td> <td style="text-align: right;">14</td> </tr> <tr> <td style="text-align: center;"></td> <td>Redi Rod</td> <td></td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Carbon Steel Rod Oil Finish</td> <td style="text-align: right;">15</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Electro Zinc Plated</td> <td style="text-align: right;">15</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Stainless</td> <td style="text-align: right;">15</td> </tr> </table>		Grader Blades	12		Grating			Bar	64		Cat Walk	64		Grip Strut	65		Hexagons			Cold Rolled	18		Stress Relieved	18		Pipe	39		Plates			Abrasion Resisting	31		Aluminum	76		High Strength	32-33		Hot Rolled	28-30		Pickled & Oiled	24		Stainless Annealed & Pickled	71		PTO Tube/Shaft	44		Rebar	14		Redi Rod			Carbon Steel Rod Oil Finish	15		Electro Zinc Plated	15		Stainless	15	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;"></td> <td style="width: 80%;">Rounds</td> <td></td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Cold Rolled</td> <td style="text-align: right;">16-17</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Galvanized</td> <td style="text-align: right;">13</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Hot Rolled</td> <td style="text-align: right;">13</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Stainless</td> <td style="text-align: right;">66</td> </tr> <tr> <td></td> <td style="padding-left: 20px;">Turned Ground and Polished</td> <td style="text-align: right;">17</td> </tr> <tr> <td></td> <td style="text-align: center;">Stainless</td> <td></td> </tr> <tr> <td style="text-align: center;"></td> <td>Angle</td> <td style="text-align: right;">66</td> </tr> <tr> <td style="text-align: center;"></td> <td>Annealed & Pickled Plates</td> <td style="text-align: right;">71</td> </tr> <tr> <td style="text-align: center;"></td> <td>Annealed & Pickled Sheets</td> <td style="text-align: right;">70</td> </tr> <tr> <td style="text-align: center;"></td> <td>Channel</td> <td style="text-align: right;">66</td> </tr> <tr> <td style="text-align: center;"></td> <td>Expanded Metal</td> <td style="text-align: right;">69</td> </tr> <tr> <td style="text-align: center;"></td> <td>Flats</td> <td style="text-align: right;">67</td> </tr> <tr> <td style="text-align: center;"></td> <td>Pipe</td> <td style="text-align: right;">68</td> </tr> <tr> <td style="text-align: center;"></td> <td>Plates</td> <td style="text-align: right;">71</td> </tr> <tr> <td style="text-align: center;"></td> <td>Polished Sheets</td> <td style="text-align: right;">70</td> </tr> <tr> <td style="text-align: center;"></td> <td>Rectangle Tubing</td> <td style="text-align: right;">69</td> </tr> <tr> <td style="text-align: center;"></td> <td>Redi Rod</td> <td style="text-align: right;">15</td> </tr> <tr> <td style="text-align: center;"></td> <td>Round</td> <td style="text-align: right;">66</td> </tr> <tr> <td style="text-align: center;"></td> <td>Sheets</td> <td style="text-align: right;">70</td> </tr> <tr> <td style="text-align: center;"></td> <td>Square Tubing</td> <td style="text-align: right;">69</td> </tr> <tr> <td style="text-align: center;"></td> <td>Squares</td> <td style="text-align: right;">66</td> </tr> <tr> <td style="text-align: center;"></td> <td>Strips</td> <td style="text-align: right;">67</td> </tr> </table>		Rounds			Cold Rolled	16-17		Galvanized	13		Hot Rolled	13		Stainless	66		Turned Ground and Polished	17		Stainless			Angle	66		Annealed & Pickled Plates	71		Annealed & Pickled Sheets	70		Channel	66		Expanded Metal	69		Flats	67		Pipe	68		Plates	71		Polished Sheets	70		Rectangle Tubing	69		Redi Rod	15		Round	66		Sheets	70		Square Tubing	69		Squares	66		Strips	67
	Grader Blades	12																																																																																																																																						
	Grating																																																																																																																																							
	Bar	64																																																																																																																																						
	Cat Walk	64																																																																																																																																						
	Grip Strut	65																																																																																																																																						
	Hexagons																																																																																																																																							
	Cold Rolled	18																																																																																																																																						
	Stress Relieved	18																																																																																																																																						
	Pipe	39																																																																																																																																						
	Plates																																																																																																																																							
	Abrasion Resisting	31																																																																																																																																						
	Aluminum	76																																																																																																																																						
	High Strength	32-33																																																																																																																																						
	Hot Rolled	28-30																																																																																																																																						
	Pickled & Oiled	24																																																																																																																																						
	Stainless Annealed & Pickled	71																																																																																																																																						
	PTO Tube/Shaft	44																																																																																																																																						
	Rebar	14																																																																																																																																						
	Redi Rod																																																																																																																																							
	Carbon Steel Rod Oil Finish	15																																																																																																																																						
	Electro Zinc Plated	15																																																																																																																																						
	Stainless	15																																																																																																																																						
	Rounds																																																																																																																																							
	Cold Rolled	16-17																																																																																																																																						
	Galvanized	13																																																																																																																																						
	Hot Rolled	13																																																																																																																																						
	Stainless	66																																																																																																																																						
	Turned Ground and Polished	17																																																																																																																																						
	Stainless																																																																																																																																							
	Angle	66																																																																																																																																						
	Annealed & Pickled Plates	71																																																																																																																																						
	Annealed & Pickled Sheets	70																																																																																																																																						
	Channel	66																																																																																																																																						
	Expanded Metal	69																																																																																																																																						
	Flats	67																																																																																																																																						
	Pipe	68																																																																																																																																						
	Plates	71																																																																																																																																						
	Polished Sheets	70																																																																																																																																						
	Rectangle Tubing	69																																																																																																																																						
	Redi Rod	15																																																																																																																																						
	Round	66																																																																																																																																						
	Sheets	70																																																																																																																																						
	Square Tubing	69																																																																																																																																						
	Squares	66																																																																																																																																						
	Strips	67																																																																																																																																						

Index

 Sheets Cold Rolled 25 Galvanized 26 Galvannealed 27 High Strength 32-33 Hot Rolled 23-24 Paint Grip 27 Pickled & Oiled 24 Stainless 70	 Strips Galvanized 8 Hot Rolled 8
 Squares Cold Rolled 18 Hot Rolled 13	 T Iron 7
Stress Relieved  Cold Rolled Rounds 17  Hexagons 18  Turned Ground & Polished 17	 Tube Pipe Size 43 Power Take Off 44  Rectangle 41-42 Round Mechanical Electric Weld 43 Round Mechanical 46-60 Round 45  Square 40-41
	 Wire Mesh Rolls 14 Sheets 14
	Wire (Blk Annealed) 14

AISI Carbon Steel Tolerance Ranges 22
Carbon Pipe Schedules 38
Decimal Conversion Table 78
Fabrication 81-85
Glossary of Terms 79-80



Hot Rolled Coils

Thickness and Width	Lbs. per Sq. Ft.	Grade		
		1010	P&O	A36
16ga. x 36	2.500	x	-	-
16ga. x 42	2.500	x	-	-
16ga. x 48	2.500	x	-	-
16ga. x 60	2.500	x	-	-
14ga. x 36	3.125	x	-	-
14ga. x 40	3.125	x	-	-
14ga. x 42	3.125	x	-	-
14ga. x 48	3.125	x	x	-
14ga. x 50	3.125	x	-	-
14ga. x 58	3.125	x	-	-
14ga. x 60	3.125	x	x	-
14ga. x 72	3.125	x	-	-
13ga. x 48	3.750	x	x	-
13ga. x 60	3.750	-	x	-
12ga. x 36	4.375	x	-	-
12ga. x 42	4.375	x	-	-
12ga. x 48	4.375	x	x	-
12ga. x 60	4.375	x	x	-
12ga. x 72	4.375	x	-	-
11ga. x 36	5.000	x	x	-
11ga. x 48	5.000	x	x	-
11ga. x 60	5.000	x	-	-
10ga. x 36	5.625	x	-	-
10ga. x 42	5.625	x	-	-
10ga. x 48	5.625	x	x	-
10ga. x 60	5.625	x	x	-
10ga. x 72	5.625	x	-	-
10ga. x 84	5.625	x	-	-
8ga. x 36	6.875	x	-	-
8ga. x 48	6.875	x	-	-
8ga. x 52	6.875	x	-	-

Thickness and Width	Lbs. per Sq. Ft.	Grade		
		1010	P&O	A36
7ga. x 36	7.500	x	-	-
7ga. x 38	7.500	x	-	-
7ga. x 42	7.500	x	-	-
7ga. x 48	7.500	x	x	-
7ga. x 54	7.500	x	-	-
7ga. x 60	7.500	x	x	-
7ga. x 72	7.500	x	-	-
3/16 0.177 min x 60	7.660	-	-	x
3/16 0.180 min x 48	7.660	x	x	-
3/16 0.180 min x 54-1/2	7.660	x	-	-
4 ga. 0.221 min x 48	9.375	x	-	-
1/4" x 36	10.210	x	-	-
1/4" x 37	10.210	x	-	-
1/4" x 43	10.210	x	-	-
1/4" x 46	10.210	x	-	-
1/4" x 48	10.210	x	x	x
1/4" x 50	10.210	x	-	-
1/4" x 60	10.210	x	-	x
1/4" x 72	10.210	x	-	x
5/16" x 48	12.760	x	-	-
5/16" x 60	12.760	x	-	x
5/16" x 72	12.760	-	-	x
3/8" x 36	15.320	x	-	-
3/8" x 48	15.320	x	-	x
3/8" x 60	15.320	x	-	x
3/8" x 72	15.320	x	-	x
1/2" x 36	20.420	x	-	-
1/2" x 40	20.420	-	x	-
1/2" x 48	20.420	x	-	x
1/2" x 54	20.420	-	x	-
1/2" x 60	20.420	x	-	x
1/2" x 72	20.420	-	-	x

Eliminate waste by ordering material from coils cut to your exact length requirements.

Please inquire if requirements include items not listed.

Cold Rolled Coils

Thickness and Width	Lbs. per Sq. Ft.
22ga. x 48	1.250
22ga. x 60	1.250
20ga. x 48	1.500
20ga. x 60	1.500
18ga. x 36	2.000
18ga. x 48	2.000
18ga. x 60	2.000
16ga. x 36	2.500
16ga. x 48	2.500
16ga. x 60	2.500
16ga. x 72	2.500
14ga. x 36	3.125
14ga. x 48	3.125
14ga. x 60	3.125
14ga. x 72	3.125
12ga. x 48	4.375
11ga. x 36	5.000
11ga. x 48	5.000

Galvanized Coils

Thickness and Width	Lbs. per Sq. Ft.
30ga. x 36	0.656
28ga. x 36	0.781
26ga. x 36	0.906
26ga. x 48	0.906
26ga. x 60	0.906
24ga. x 36	1.156
24ga. x 48	1.156
24ga. x 60	1.156
22ga. x 36	1.406
22ga. x 48	1.406
22ga. x 60	1.406
20ga. x 36	1.656
20ga. x 48	1.656
20ga. x 60	1.656
18ga. x 36	2.156
18ga. x 48	2.156
18ga. x 60	2.156
16ga. x 36	2.656
16ga. x 48	2.656
16ga. x 60	2.656
14ga. x 36	3.281
14ga. x 48	3.281
14ga. x 60	3.281
12ga. x 36	4.531
12ga. x 48	4.531
12ga. x 60	4.531
11ga. x 48	5.156
10ga. x 36	5.781
10ga. x 48	5.781
10ga. x 60	5.781

Galvannealed Coils

Thickness and Width	Lbs. Per Sq. Ft.	Coating	
		A40	A60
18ga. x 48	2.156	-	x
18ga. x 60	2.156	-	x
16ga. x 48	2.656	x	-
14ga. x 48	3.281	x	-
14ga. x 60	3.281	x	-
12ga. x 60	4.531	x	-
11ga. x 48	5.156	x	-
11ga. x 60	5.156	x	-

Floor Plate Coils

Thickness	Width	Lbs. per Sq. Ft.
14ga.	48	3.75
14ga.	60	3.75
12ga.	48	5.25
12ga.	60	5.25
1/8"	48	6.16
1/8"	60	6.16
1/8"	72	6.16
3/16"	48	8.71
3/16"	60	8.71
3/16"	72	8.71
1/4"	48	11.26
1/4"	60	11.26
3/8"	48	16.37
3/8"	60	16.37

Eliminate waste by ordering material from coils cut to your exact length requirements.

High Strength Coils

Thickness and Width	Lbs. per Sq. Ft.	Grade					
		A607-45	A607-50	A607-60	A715-50	715-50 P&O	A715-80
14ga. x 48	3.125	-	-	-	X	-	-
12ga. x 48	4.375	-	-	-	X	-	-
12ga. x 60	4.375	-	-	-	X	-	-
11ga. x 48	5.000	-	-	-	-	X	-
11ga. x 51	5.000	-	-	-	-	-	X
11ga. x 60	5.000	-	-	-	X	-	-
11ga. x 72	5.000	-	-	-	X	-	-
10ga. x 48	5.625	-	-	-	X	-	X
10ga. x 60	5.625	-	-	-	X	X	X
10ga. x 72	5.625	-	X	-	-	-	X
9ga. 0.142 min x 60	6.250	-	-	-	X	X	-
8ga. 0.154 min x 48	6.875	X	-	-	-	-	-
7ga. 0.1719 min x 48	7.500	-	-	-	X	-	-
7ga. 0.1719 min x 60	7.500	-	-	-	X	-	-
3/16" 0.177 min x 48-1/2	7.660	-	-	-	X	-	-
3/16" 0.177 min x 53	7.660	-	-	X	-	-	-
3/16" 0.177 min x 54	7.660	-	-	-	X	-	-
3/16" 0.180 min x 60	7.660	-	-	-	X	X	X
3/16" 0.180 min x 72	7.660	-	X	-	X	-	-
5ga. 0.209 min x 48	8.750	-	-	-	X	-	-
1/4" 0.240 min x 41	10.210	-	-	X	-	-	-
1/4" 0.240 min x 48	10.210	-	-	-	X	-	-
1/4" 0.240 min x 51	10.210	-	-	X	-	-	-
1/4" 0.240 min x 60	10.210	-	-	-	X	X	-
1/4" 0.240 min x 61	10.210	-	-	-	-	-	X
1/4" 0.240 min x 66	10.210	-	-	X	-	-	-
1/4" 0.240 min x 72	10.210	-	X	-	X	-	-
5/16" x 48	12.760	-	-	-	-	-	X
5/16" x 56-3/4	12.760	-	-	-	-	-	X

Eliminate waste by ordering material from coils cut to your exact length requirements.

Please inquire if requirements include items not listed.