

# Redi Rod

National Course



## Threaded Carbon Steel Rod (Oil Finish)



## Electro Zinc Plated


Size	Length	WT / FT	WT / Length
1/4" blk	6'	0.118	0.708
1/4" blk	10'	0.118	1.180
1/4" blk	12'	0.118	1.416
5/16" blk	6'	0.197	1.182
5/16" blk	10'	0.197	1.970
3/8" blk	6'	0.284	1.704
3/8" blk	10'	0.284	2.840
7/16" blk	6'	0.390	2.340
1/2" blk	6'	0.515	3.090
1/2" blk	10'	0.515	5.150
9/16" blk	6'	0.660	3.960
5/8" blk	6'	0.825	4.950
5/8" blk	10'	0.825	8.250
3/4" blk	6'	1.215	7.290
3/4" blk	10'	1.215	12.15
7/8" blk	6'	1.675	10.05
7/8" blk	10'	1.675	16.75
1" blk	6'	2.190	13.14
1" blk	10'	2.190	21.90
1-1/2" blk	12'	5.050	60.60

Size	Length	WT / FT	WT / Length
1/4" galv	6'	0.118	0.708
1/4" galv	12'	0.118	1.416
5/16" galv	6'	0.197	1.182
3/8" galv	6'	0.284	1.704
3/8" galv	12'	0.284	3.408
7/16" galv	3'	0.390	1.170
7/16" galv	6'	0.390	2.340
1/2" galv	6'	0.515	3.090
1/2" galv	12'	0.515	6.180
5/8" galv	6'	0.825	4.950
5/8" galv	12'	0.825	9.900
3/4" galv	6'	1.215	7.290
7/8" galv	6'	1.675	10.05
1" galv	6'	2.190	13.14



## Type 304 Stainless Steel Threaded Rod

Size	Length	WT / FT	WT / Length
1/4" SS	12'	0.123	1.476
5/16" SS	12'	0.201	2.412
3/8" SS	12'	0.296	3.552
7/16" SS	6'	0.406	2.436
7/16" SS	12'	0.406	4.872
1/2" SS	6'	0.539	3.234
1/2" SS	12'	0.539	6.468
5/8" SS	6'	0.852	5.112
5/8" SS	12'	0.852	10.22
3/4" SS	6'	1.249	7.49
3/4" SS	12'	1.249	14.99
7/8" SS	12'	1.724	20.69
1" SS	12'	2.256	27.07



Please inquire if requirements include items not listed.

# Stainless



## Stainless Channel

Type 304 Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3 x 1-1/2 x 1/4	20' rl	4.750	95.00
4 x 1-3/4 x 1/4	20' rl	6.690	133.80



## Stainless Squares

Type 304 Annealed Cold Drawn

Size	Length	WT / FT	WT / Bar
1/4"	12' rl	0.213	2.56
5/16"	12' rl	0.332	3.98
3/8"	12' rl	0.478	5.74
7/16"	12' rl	0.651	7.81
1/2"	12' rl	0.850	10.20
3/4"	12' rl	1.913	22.96
1"	12' rl	3.400	40.80
1-1/4"	12' rl	5.313	63.76
1-1/2"	12' rl	7.650	91.80



## Stainless Angles

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3/4 x 3/4 x 1/8	20' rl	0.590	11.80
1 x 1 x 1/8	20' rl	0.800	16.00
1 x 1 x 3/16	20' rl	1.160	23.20
1 x 1 x 1/4	20' rl	1.490	29.80
1-1/4 x 1-1/4 x 1/8	20' rl	1.010	20.20
1-1/4 x 1-1/4 x 3/16	20' rl	1.480	29.60
1-1/4 x 1-1/4 x 1/4	20' rl	1.920	38.40
1-1/2 x 1-1/2 x 1/8	20' rl	1.230	24.60
1-1/2 x 1-1/2 x 3/16	20' rl	1.800	36.00
1-1/2 x 1-1/2 x 1/4	20' rl	2.340	46.80
2 x 2 x 1/8	20' rl	1.650	33.00
2 x 2 x 3/16	20' rl	2.440	48.80
2 x 2 x 1/4	20' rl	3.190	63.80
2 x 2 x 3/8	20' rl	4.700	94.00
2-1/2 x 2-1/2 x 3/16	20' rl	3.070	61.40
2-1/2 x 2-1/2 x 1/4	20' rl	4.100	82.00



## Stainless Angles

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3 x 3 x 1/4	20' rl	4.900	98.00
3 x 3 x 3/8	20' rl	7.200	144.00
4 x 4 x 1/4	20' rl	6.600	132.00



## Stainless Round

Type 304 Annealed

Size	Length	WT / FT	WT / Bar
1/8"	12' rl	0.042	0.50
3/16"	12' rl	0.094	1.13
1/4"	12' rl	0.167	2.00
5/16"	12' rl	0.261	3.13
3/8"	12' rl	0.376	4.51
7/16"	12' rl	0.511	6.13
1/2"	12' rl	0.668	8.02
5/8"	12' rl	1.043	12.52
3/4"	12' rl	1.502	18.02
7/8"	12' rl	2.045	24.54
1"	12' rl	2.670	32.04
1-1/8"	12' rl	3.380	40.56
1-3/16"	12' rl	3.766	45.19
1-1/4"	12' rl	4.172	50.06
1-3/8"	12' rl	5.050	60.60
1-7/16"	12' rl	5.518	66.22
1-1/2"	12' rl	6.008	72.10
1-5/8"	12' rl	7.052	84.62
1-3/4"	12' rl	8.178	98.14
1-15/16"	12' rl	10.020	120.24
2"	12' rl	10.680	128.16
2-3/16"	12' rl	12.780	153.36
2-1/4"	12' rl	13.520	162.24
2-7/16"	12' rl	15.870	190.44
2-1/2"	12' rl	16.690	200.28
3"	12' rl	24.030	288.36

# Stainless



## Stainless Strips

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
1/8 x 1/2	12'	0.213	2.56
1/8 x 3/4	12'	0.319	3.83
1/8 x 1	10'	0.425	4.25
1/8 x 1-1/4	10'	0.531	5.31
1/8 x 1-1/2	10'	0.638	6.38
1/8 x 2	10'	0.850	8.50
1/8 x 2-1/2	10'	1.063	10.63
1/8 x 3	10'	1.275	12.75
1/8 x 4	10'	1.700	17.00
1/8 x 5	10'	2.125	21.25
1/8 x 6	10'	2.550	25.50
3/16 x 1/2	12'	0.319	3.83
3/16 x 3/4	12'	0.536	6.43
3/16 x 1	10'	0.715	7.15
3/16 x 1-1/4	10'	0.893	8.93
3/16 x 1-1/2	10'	1.072	10.72
3/16 x 1-3/4	10'	1.251	12.51
3/16 x 2	10'	1.430	14.30
3/16 x 3	10'	2.140	21.40
3/16 x 3-1/2	10'	2.502	25.02
3/16 x 4	10'	2.860	28.60
3/16 x 6	10'	4.290	42.90



## Stainless Flats

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
3/8 x 3/4	12'	0.956	11.47
3/8 x 1	12'	1.380	16.56
3/8 x 1-1/4	12'	1.594	19.13
3/8 x 1-1/2	12'	2.060	24.72
3/8 x 2	12'	2.750	33.00
3/8 x 2-1/2	12'	3.438	41.26
3/8 x 3	12'	4.125	49.50
3/8 x 4	12'	5.500	66.00
3/8 x 5	12'	6.875	82.50
3/8 x 6	12'	8.250	99.00
1/2 x 3/4	12'	1.275	15.30
1/2 x 1	12'	1.800	21.60
1/2 x 1-1/2	12'	2.708	32.50
1/2 x 2	12'	3.610	43.32
1/2 x 2-1/2	12'	4.512	54.14
1/2 x 3	12'	5.420	65.04
1/2 x 4	12'	7.225	86.70
1/2 x 6	12'	10.830	129.96
3/4 x 2	12'	5.100	61.20
1-1/4 x 3	12'	12.760	153.12



## Stainless Flats

Type 304 Hot Rolled / Annealed and Pickled

Size	Length	WT / FT	WT / Bar
1/4 x 3/4	12'	0.638	7.66
1/4 x 1	10'	0.930	9.30
1/4 x 1-1/4	10'	1.163	11.63
1/4 x 1-1/2	10'	1.395	13.95
1/4 x 2	10'	1.860	18.60
1/4 x 2-1/2	10'	2.325	23.25
1/4 x 3	10'	2.791	27.91
1/4 x 4	10'	3.721	37.21
1/4 x 5	10'	4.651	46.51
1/4 x 6	10'	5.581	55.81

# Stainless Pipe

Type 304 Cold Finished / Annealed and Pickled



## Sch. 40

Size	Length	O.D.	I.D.	Wall	WT / FT	WT / Bar
		In Inches	In Inches	Thickness		
1/8"	20' rl	0.405	0.269	0.068	0.240	4.80
1/4"	20' rl	0.540	0.364	0.088	0.420	8.40
3/8"	20' rl	0.675	0.493	0.091	0.568	11.36
1/2"	20' rl	0.840	0.622	0.109	0.850	17.00
3/4"	20' rl	1.050	0.824	0.113	1.130	22.60
1"	20' rl	1.315	1.049	0.133	1.680	33.60
1-1/4"	20' rl	1.660	1.380	0.140	2.270	45.40
1-1/2"	20' rl	1.900	1.610	0.145	2.720	54.40
2"	20' rl	2.375	2.067	0.154	3.650	73.00
2-1/2"	20' rl	2.875	2.469	0.203	5.800	116.00
3"	20' rl	3.500	3.068	0.216	7.580	151.60
4"	20' rl	4.500	4.026	0.237	10.790	215.80

## Stainless



## Stainless Square Tube

Mill Finish

Size	Length	WT / FT	WT / Bar
3/4 x 3/4 x 16 ga.	20' rl	0.606	12.12
1 x 1 x 16 ga.	20' rl	0.827	16.54
1 x 1 x 14 ga.	20' rl	1.035	20.70
1 x 1 x 11 ga.	20' rl	1.436	28.72
1-1/4 x 1-1/4 x 16 ga.	20' rl	1.048	20.96
1-1/4 x 1-1/4 x 14 ga.	20' rl	1.317	26.34
1-1/4 x 1-1/4 x 11 ga.	20' rl	1.844	36.88
1-1/2 x 1-1/2 x 16 ga.	20' rl	1.269	25.38
1-1/2 x 1-1/2 x 14 ga.	20' rl	1.600	32.00
1-1/2 x 1-1/2 x 11 ga.	20' rl	2.255	45.10
1-1/2 x 1-1/2 x 3/16	20' rl	3.630	72.60
2 x 2 x 16 ga.	20' rl	1.710	34.20
2 x 2 x 11 ga.	20' rl	3.068	61.36
2 x 2 x 3/16	20' rl	4.460	89.20
2 x 2 x 1/4	20' rl	6.010	120.20
3 x 3 x 11 ga.	20' rl	4.700	94.00
3 x 3 x 3/16	20' rl	6.900	138.00
3 x 3 x 1/4	20' rl	10.000	200.00
4 x 4 x 11 ga.	20' rl	6.260	125.20
4 x 4 x 3/16	20' rl	9.270	185.40
4 x 4 x 1/4	20' rl	12.680	253.60



## Stainless Rectangular Tube

Mill Finish

Size	Length	WT / FT	WT / Bar
1 x 2 x 11 ga.	20' rl	2.252	45.04
2 x 3 x 11 ga.	20' rl	3.884	77.68
2 x 3 x 3/16	20' rl	5.679	113.58
2 x 4 x 11 ga.	20' rl	4.700	94.00
2 x 4 x 3/16	20' rl	6.900	138.00
2 x 4 x 1/4	20' rl	10.000	200.00



## Square Tube

Polished Finish

Size	Length	WT / FT	WT / Bar
1 x 1 x 11 ga.	20' rl	1.436	28.72
1-1/2 x 1-1/2 x 11 ga.	20' rl	2.255	45.10



## Stainless Expanded Metal

Type 304 - Flattened

Style	Size	WT / FT	WT / Bar
1/2 #13 FL SS	48 x 96	1.780	56.96
3/4 #13 FL SS	48 x 96	0.860	27.52
3/4 #9 FL SS	48 x 96	1.950	62.40
1-1/2 #13 FL SS	48 x 96	0.650	20.80
1-1/2 #9 FL SS	48 x 96	1.310	41.92


## Stainless Sheets Type 304



### Stainless Sheets

No. 2B Finish


Gauge	Size	WT / FT	WT / Sheet
26 ga.	48 x 120	0.756	30.24
24 ga.	36 x 96	1.008	24.19
24 ga.	48 x 96	1.008	32.26
24 ga.	48 x 120	1.008	40.32
22 ga.	36 x 96	1.260	30.24
22 ga.	48 x 96	1.260	40.32
22 ga.	48 x 120	1.260	50.40
20 ga.	48 x 96	1.512	48.38
20 ga.	48 x 120	1.512	60.48
18 ga.	36 x 96	2.016	48.38
18 ga.	48 x 96	2.016	64.51
18 ga.	48 x 120	2.016	80.64
18 ga.	60 x 120	2.016	100.80
16 ga.	48 x 96	2.520	80.64
16 ga.	48 x 120	2.520	100.80
16 ga.	60 x 120	2.520	126.00
14 ga.	36 x 96	3.150	75.60
14 ga.	36 x 120	3.150	94.50
14 ga.	48 x 96	3.150	100.80
14 ga.	48 x 120	3.150	126.00
14 ga.	60 x 96	3.150	126.00
14 ga.	60 x 120	3.150	157.50
12 ga.	36 x 120	4.410	132.30
12 ga.	48 x 96	4.410	141.12
12 ga.	48 x 120	4.410	176.40
12 ga.	60 x 120	4.410	220.50
12 ga.	60 x 144	4.410	264.60
11 ga.	48 x 120	5.040	201.60



### Stainless Sheets

No. 2B Finish

Gauge	Size	WT / FT	WT / Sheet
10 ga.	48 x 96	5.670	181.44
10 ga.	48 x 120	5.670	226.80
10 ga.	48 x 144	5.670	272.16
10 ga.	60 x 96	5.670	226.80
10 ga.	60 x 120	5.670	283.50
7 ga.	48 x 96	7.854	251.33
7 ga.	48 x 120	7.854	314.16
7 ga.	60 x 120	7.854	392.70



### Stainless Sheets

#4 Polish Sheets

Gauge	Size	WT / FT	WT / Sheet
24 ga.	48 x 120	1.008	40.32
22 ga.	48 x 120	1.260	50.40
20 ga.	48 x 120	1.512	60.48
18 ga.	48 x 120	2.016	80.64
16 ga.	48 x 120	2.520	100.80
14 ga.	36 x 120	3.150	94.50
14 ga.	48 x 120	3.150	126.00
12 ga.	48 x 120	4.410	176.40
12 ga.	60 x 120	4.410	220.50



### Stainless Sheets

#1 Mill Finish

Gauge	Size	WT / FT	WT / Sheet
11 ga.	48 x 120	5.040	201.60

#### Standard Stainless Finishes

- #1 – Hot rolled, annealed and pickled
- #2B – Annealed, pickled and bright cold rolled
- #4 – Standard polish – PVC coated


**Type 304** – Good formability, weldability and corrosion resistance. Widely used in food processing as well as in chemical corrosive environments.



## Stainless Plates

Hot Rolled, Annealed & Pickled  
Type 304 #1 Mill Finish

Thickness	Size	WT / FT	WT / Sheet
3/16" PL	48 x 96	8.579	274.53
3/16" PL	48 x 120	8.579	343.16
3/16" PL	48 x 144	8.579	411.79
3/16" PL	60 x 96	8.579	343.16
3/16" PL	60 x 120	8.579	428.95
3/16" PL	60 x 144	8.579	514.74
1/4" PL	48 x 96	11.162	357.18
1/4" PL	48 x 120	11.162	446.48
1/4" PL	48 x 144	11.162	535.78
1/4" PL	60 x 96	11.162	446.48
1/4" PL	60 x 120	11.162	558.10
1/4" PL	60 x 144	11.162	669.72
3/8" PL	48 x 96	16.500	528.00
3/8" PL	48 x 120	16.500	660.00
3/8" PL	48 x 144	16.500	792.00
3/8" PL	60 x 144	16.500	990.00
1/2" PL	48 x 120	21.660	866.40
1/2" PL	60 x 144	21.660	1299.60
1/2" PL	61-3/4 x 144	21.660	1337.51



Please inquire if requirements include items not listed.